



## PRACTICAL CHECK SHEET

Candidate: \_\_\_\_\_

Successful 

Evaluator: \_\_\_\_\_

Unsuccessful 

Date: \_\_\_\_\_

**1006-PROCESS-38**

<b>Standard:</b>	NFPA 1006 – 2021 edition – 5.3.9
<b>Task:</b>	Ascend a fixed rope in a high-angle environment
<b>Performance Outcome:</b>	The person ascending is secured to the fixed rope in a manner that will not allow him or her to fall, the person ascending is attached to the rope by means of an ascent control device(s) with at least two points of contact, injury to the person ascending is minimized, the person ascending can stop at any point on the fixed rope and rest suspended by his or her harness, the system will not be stressed to the point of failure, the person ascending can convert his or her ascending system to a descending system, obstacles are negotiated, the system is suitable for the site, and the objective is reached.
<b>Conditions:</b>	Given an anchored fixed-rope system, a specified minimum distance for the rescuer, a system to allow ascent of a fixed rope, a structure, a belay system, a life safety harness worn by the person ascending, and PPE
<b>Candidate Directive:</b>	“Using the provided equipment, fixed rope and high-angle environment, ascend the fixed rope”.

NO.	TASK STEPS	TEST	
		Successful	Unsuccessful
1	The person ascending was secured to the fixed rope in a manner that would not allow him or her to fall		
2	The person ascending was attached to the rope by means of an ascent control device(s) with at least two points of contact		
3	Injury to the person ascending was minimized		
4	The person ascending could stop at any point on the fixed rope and rest suspended by his or her harness		
5	The system would not be stressed to the point of failure		



**PRACTICAL CHECK SHEET**

6	The person ascending could convert his or her ascending system to a descending system		
7	Obstacles were negotiated		
8	The system was suitable for the site		
9	The objective was reached		

**Evaluator/Candidate Comments:** \_\_\_\_\_

---

---

---

---

---

---

---

---