

# BEACH REPORT

July 16, 2021

	<b>No Water Issues</b>	Beaches are generally considered safe for swimming.
	<b>Moderate Water Issues</b>	A sample has exceeded the levels of either fresh water (200) or salt water (35) meaning a higher risk of illness may be present. More sampling will be needed.
	<b>No Swimming</b>	A single sample has exceeded the safety levels for fresh water (400) or salt water (70) or the average of the past five samples taken has exceeded the thresholds for fresh water (200) or salt water (35). This means there is a significant risk of illness and a beach closure may be in effect.

- The results below show the number of E.coli (fresh water) or Enterococci (salt water) per 100 mL of sample water
- Updates will be provided once a week.
- Results are most predictive of overall water quality for 2 days after the sample has been taken.

Beach		Location	Sample Type	Sample Date	Sample Results
Brannen Lake		NANAIMO	Fresh Water	July 16, 2021	E-COLI- 6
Departure Bay North		NANAIMO	Salt Water	July 16, 2021	ENTEROCOCCI- 2
Departure Bay South		NANAIMO	Salt Water	July 16, 2021	ENTEROCOCCI- 2
Long Lake West		NANAIMO	Fresh Water	July 16, 2021	E-COLI- 400
Long Lake East		NANAIMO	Fresh Water	July 16, 2021	E-COLI- 10
Upper Colliery Dam		NANAIMO	Fresh Water	July 16, 2021	E-COLI- 12
Lower Colliery Dam		NANAIMO	Fresh Water	July 16, 2021	E-COLI- 4
Westwood Lake North		NANAIMO	Fresh Water	July 16, 2021	E-COLI- 28
Westwood Lake South		NANAIMO	Fresh Water	July 16, 2021	E-COLI- 6