

APPARATUS DRIVER/OPERATOR – NFPA 1002 PRACTICAL SKILLS CHECK SHEETS

Candidate:				Successful	
Evaluator:			 Ur	nsuccessful	
Date:				1002-SKILL-10	
Cton		NEDA 4000 2047 adition 4.4.4			
Standard:		NFPA 1002 – 2017 edition – 4.4.1			
Task:		Initiate the response to a reported emergency.			
Performance Outcome:		All necessary information is obtained, communications equipment is operated correctly, and the information is relayed promptly and accurately to the dispatch centre.			
Conditions:		Given the report of an emergency, fire department SOPs, and communications equipment.			
Candidate Directive:		"Receive a report of an emergency and i response."	nitiate a fire dep	artment	
	T				
NO.		TASK STEPS	1 ⊨	ST	
NO.		TASK STEPS			
NO.	All neces	ssary information was obtained.	Successful	Unsuccessful	
	Commur	ssary information was obtained. nications equipment was operated			
1	Commur correctly Informati	ssary information was obtained. nications equipment was operated nications equipment was operated nication was relayed promptly and accurately			
1 2 3	Commur correctly Informati to the dis	ssary information was obtained. nications equipment was operated			
1 2 3	Commur correctly Informati to the dis	ssary information was obtained. nications equipment was operated on was relayed promptly and accurately spatch centre.			
1 2 3	Commur correctly Informati to the dis	ssary information was obtained. nications equipment was operated on was relayed promptly and accurately spatch centre.			
1 2 3	Commur correctly Informati to the dis	ssary information was obtained. nications equipment was operated on was relayed promptly and accurately spatch centre.			
1 2 3 Evalu	Commur correctly Informati to the dis	ssary information was obtained. nications equipment was operated ion was relayed promptly and accurately spatch centre. Ididate Comments:			

Revision Date: June 2019