

REV #	DATE	DESCRIPTION
1	10-Aug-22	- RE-ISSUE FOR DP IN RESPONSE TO CITY FEEDBACK
2	8-Nov-22	DAP RESPONSE IS AS FOLLOWS: - INCREASE DISTANCE BETWEEN BUILDINGS 4 & 6 - ADD CURVES TO LOWER DRIVE AISLE - PERMEABLE PAVING - CONTINUITY OF PEDESTRIAN PATH. SEE LANDSCAPE
3	8-Jun-23	- COMPREHENSIVE LETTER RESPONSE
4	19-Sep-23	STAFF COMMENTS RESPONSE - UPDATED PROJECT DATA PROVIDED (A002) - KEYNOTE LEGEND UPDATED (A100, A200-A202) - E.V. CHARGING KEYNOTE 'C' ADDED FOR CLARIFICATION - ADDITIONAL TYPICAL DIMENSIONS PROVIDED AS PER CLAUSES 4.1., 4.3., & 5.5. (A100, A200-A202)


**KEYNOTE LEGEND**

**NOTE:**  
REFER TO A100 SITE PLAN FOR KEYNOTES 'A' & 'B' MARKERS.  
REFER TO A200-A202 UNIT PLAN SHEETS FOR KEYNOTE 'C' MARKERS.

**(A)** COMMON EV CHARGER (4 STALLS), TYP.  
AS PER CITY OF NANAIMO PARKING BYLAW:  
ELECTRIC VEHICLE PARKING, CLAUSE 7.7.(i)

**(B)** R.O. ELECTRICAL OUTLET BOX  
FOR EV CHARGER (4 STALLS), TYP.  
AS PER CITY OF NANAIMO PARKING BYLAW:  
ELECTRIC VEHICLE PARKING, CLAUSE 7.7.(ii)

**(C)** R.O. ELECTRICAL OUTLET BOX  
FOR EV CHARGER, TYP.  
ALL OFF-STREET PARKING SPACES WITHIN A ...  
DEDICATED MULTI-FAMILY DWELLING PARKING  
SPACE SUCH AS A GARAGE FOR AN INDIVIDUAL UNIT  
SHALL INCLUDE AN ELECTRICAL OUTLET BOX WIRED  
WITH A SEPARATE BRANCH CIRCUIT CAPABLE OF  
SUPPLYING ELECTRICITY TO SUPPORT A LEVEL 1  
ELECTRIC VEHICLE CHARGE RECEPTACLE.  
AS PER CITY OF NANAIMO PARKING BYLAW:  
ELECTRIC VEHICLE PARKING, CLAUSE 7.7.(iii)



1 Site Plan  
A100 Scale: 1:300



254 Adderly Road  
Nanaimo, BC  
19 SEP 2023

# 254 Adderly Road

REV. 4 - COMPREHENSIVE LETTER STAFF COMMENT RESPONSE

Site Plan A100

RECEIVED  
DP1267  
2023-SEP-22  
dHkarchitects dHka